



PRODUCT DESCRIPTION

PSO Rust Preventive Oil is blended with highly refined mineral base oils and a combination of soft and waxy additive with additional support of industrial bactericide for rust prevention on ferrous and non-ferrous metals. The oil provides a very thin layer on metal surfaces to protect from varying weather conditions to increase their life.

APPLICATIONS

- Rust Preventive oil is especially effective in protecting bright, ground and highly polished surfaces.
- Oil is effective for both gram-negative and gram-positive bacteria; to resist against bacterial attack and staining on metal surfaces.

BENEFITS

- Soft and waxy nature of the oil forms smooth, permanent surface on metal surfaces to protect them from rusting.
- Environment-friendly industrial bactericide ensures safe working environment.
- Can be applied by dipping, brushing and spraying.
- Non-staining characteristic keeps metal surfaces free from stains.
- Excellent rust inhibitor to increase metal service life.

PRODUCT CHARACTERISTICS*

PROPERTIES	METHOD	TYPICAL RESULTS
Density @ 15 °C, Kg/liter	ASTM D-4052	0.8634
Kinematic Viscosity @ 40 °C	ASTM D-445	15.1
Kinematic Viscosity @ 100 °C	ASTM D-445	3.8
Viscosity Index	ASTM D-2270	149
Flash Point (COC), °C	ASTM D-92	162
Pour Point	ASTM D-97	6
TAN, mg KOH/g	ASTM 664	1.32

* These typical characteristics mentioned are based on current mean values.



HEALTH & SAFETY

Guidelines for health, safety and handling are available in Material Safety Data Sheet of the product which can be obtained from PSO representative.



ENVIRONMENT PROTECTION

Take used oil to an authorized collection point. Do not discharge into drains, soil or water.



ADVICE

Advice on application not covered in this leaflet, may be obtained from PSO representative.