



PRODUCT DESCRIPTION

PSO MP GREASE is multi-purpose automotive grease to cover a wide variety of moderate service applications. It is formulated with lithium 12-hydroxi stearate soap base and solvent-refined high viscosity index mineral base oils to act as the lubricant. It contains special chemical additives, with enhanced oxidation resistance and special type of polymer to withstand oil separation.

APPLICATIONS

- Recommended for all points requiring grease on passenger cars, trucks, buses, trailers and farm tractors. These include wheel bearings, ball joints, all chassis points, universal joints, linkages, dynamo and starter motor bearings, steering gears and water pumps.
- Also recommended for general household use including grease lubricated bearings of power tools and lawn mowers.
- Suitable for general industrial lubrication where service conditions are non EP and moderate.

BENEFITS

PSO MP GREASE provides the following benefits:

- Long service life.
- Good shear stability in combination with high dropping point gives excellent resistance against leakage from bearing.
- Resistance to water washing in moderate conditions.
- Good dispersing characteristics.

PRODUCT CHARACTERISTICS*

PROPERTIES	METHOD	TYPICAL RESULT
NLGI Grade	-	2
Appearance	-	Homogeneous, light brown
Soap Base, Type	-	Lithium Soap
Penetration worked, 60 Strokes	ASTM D-217	280
Dropping Point, °C, min.	ASTM D-566	180
Oil Separation, % wt., 18h @ 40°C, max.	IP 121	5
Water Washout, %, @38°C, max.	ASTM D-1264	15
Leakage tendencies in gm deposit on bearing surface, 6hrs@105 C, max.	ASTM D-1263	5

* These typical characteristics mentioned are based on current mean values.



HEALTH & SAFETY

Guidelines for health, safety and handling are available in Material Safety Data Sheet of the product which can be obtained from PSO representative.



ENVIRONMENT PROTECTION

Take used oil to an authorized collection point. Do not discharge into drains, soil or water.



ADVICE

Advice on application not covered in this leaflet, may be obtained from PSO representative.